

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,278,361 B2
APPLICATION NO. : 10/669756
DATED : October 9, 2007
INVENTOR(S) : Zhurong et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 6, replace Fig. 9 with the figure depicted herein below, wherein the hinge axis has been labeled --203--




Fig. 9

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,278,361 B2
APPLICATION NO. : 10/669756
DATED : October 9, 2007
INVENTOR(S) : Zhurong et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 9, replace Figure 14 with the figure depicted herein below, wherein the reference for the first hinge connector has been changed from "1211" to --121--




Figure 14

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,278,361 B2
APPLICATION NO. : 10/669756
DATED : October 9, 2007
INVENTOR(S) : Zhurong et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8

Line 65, after "exterior end", change "152" to --154--

Column 11

Line 15, change "embodiment" to --embodiments--

Column 13

Line 26, change "When reference" to --With reference--

Column 16


Line 5, change "203" to --201--

Column 18

Line 9, after "table top", insert --; and--

Signed and Sealed this

Fifteenth Day of December, 2009



David J. Kappos
Director of the United States Patent and Trademark Office